

# CITIZEN

## Packed with features for industrial desktop printing

### Industrial desktop printer



#### Fast print speed

Printing a typical courier label takes just one second with virtually instant first label printing.

#### Durable internal power supply

All printers feature an internal mains power supply to provide the most reliable operation and avoid the problem of external power supplies.

#### Direct thermal

The CL-S521II models are direct thermal using coated media but require no ribbon.

## CL-S521II

### Label, Industrial Desktop

#### Applications

- Courier
- Healthcare
- Logistic / Transport
- Pharmacy
- Retail
- Ticketing
- Warehousing



Desktop size - industrial performance.

## TOMORROW'S PRINTING TODAY

# CITIZEN



Optional internal Wireless LAN and Ethernet interfaces.

## Specifications

<b>Model</b>	<b>CL-S521II</b>
<b>Printing Technology</b>	Direct Thermal
<b>Resolution</b>	203 dpi
<b>Print Speed (maximum)</b>	6 inches per second (150 mm/s)
<b>Print Width (maximum)</b>	4 inches (104 mm)
<b>Media Width (min to max)</b>	0.5 - 4.6 inches (12.5 - 118 mm)
<b>Roll Size (max), Core Size</b>	Inside diameter 5 inches (125 mm) External diameter 8 inches (200mm) Core size 1 inch (25mm)
<b>Media Thickness (min to max)</b>	63.5 to 254 µm
<b>Media Length (min to max)</b>	0.25 to 99.99 inches (6.35 to 2539.74mm)
<b>Media Sensor</b>	Fully adjustable gap, notch and reflective black mark
<b>Main Interface</b>	Dual Interface Serial (RS-232C), USB (version 2.0, full speed)
<b>Optional interfaces</b>	Wireless LAN 802.11b and 802.11g standards, 100 metres, 64/128 bit WEP, WPA, up to 54Mbps, Ethernet (10/100 BaseT), Parallel (IEEE 1284 compliant)
<b>Mechanism</b>	Hi-Lift™ metal mechanism with wide opening head
<b>Control panel</b>	4 buttons and 4 LEDs
<b>Emulations (Languages)</b>	Datamax® DMX, Cross-Emulation™ - autoswitch between Zebra® and Datamax® emulations, Zebra® ZPL2®, CBI™ BASIC Interpreter, Eltron® EPL2®
<b>Drivers and software</b>	Free-of-charge from website, including support for various platforms
<b>Flash (Non-Volatile Memory)</b>	16 MB total, 4MB available for user

## Size (W x D x H) and Weight

201 x 289 x 183 mm, 3.6 Kg  
Citizen Systems Europe GmbH, Elizabeth Way, 1000, Watlington, Oxon, OX11 1GJ, United Kingdom

## CL-S521II

### Label, Industrial Desktop

## Features & Benefits

- Paper load: Durable design - Citizen's proven Hi-Lift™ all-metal mechanism
- Printing Speed: Fast print out - 6 inches per second (150 mm per second)
- Media support: Large media capacity - holds rolls up to 5 inches (127 mm)
- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- Low space requirement - integrated power supply enables clean work station
- ENERGY STAR® compliant
- Recyclable packaging
- Basic peeler



All-metal mechanisms for strength and durability.

**CITIZEN SYSTEMS EUROPE GMBH**

# CITIZEN

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0

## CL-S521II

**Label, Industrial Desktop**